

## Refine Search

### Search Results -

Term	Documents
CONSUMER	76782
CONSUMERS	29856
(40 AND CONSUMER).USPT.	0
(CONSUMER AND L40).USPT.	0

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L45

Refine Search

Recall Text

Clear

Interrupt

### Search History

 DATE: Thursday, February 19, 2004    [Printable Copy](#)    [Create Case](#)
Set Name Query

side by side

Hit Count Set Name

result set

*DB=USPT; PLUR=YES; OP=ADJ*

<u>L45</u>	consumer and l40	0	<u>L45</u>
<u>L44</u>	L43 and l40	0	<u>L44</u>
<u>L43</u>	network\$	282127	<u>L43</u>
<u>L42</u>	L41 and l40	0	<u>L42</u>
<u>L41</u>	resource\$1 and network\$	41954	<u>L41</u>
<u>L40</u>	L39 and l38 and l37	1	<u>L40</u>
<u>L39</u>	audio and visual	28355	<u>L39</u>
<u>L38</u>	set top	7434	<u>L38</u>
<u>L37</u>	L36 and l35	94	<u>L37</u>
<u>L36</u>	1394 serial	395	<u>L36</u>
<u>L35</u>	IEEE standard	4074	<u>L35</u>

<u>L34</u>	L33 and l1	0	<u>L34</u>
<u>L33</u>	bus	182660	<u>L33</u>
<u>L32</u>	L31 and l1	0	<u>L32</u>
<u>L31</u>	serial bus	7816	<u>L31</u>
<u>L30</u>	L29 and l1	0	<u>L30</u>
<u>L29</u>	IEEE	129254	<u>L29</u>
<u>L28</u>	L26 and l1	1	<u>L28</u>
<u>L27</u>	L26 and l10	0	<u>L27</u>
<u>L26</u>	network\$	282127	<u>L26</u>
<u>L25</u>	L24 and l10	1	<u>L25</u>
<u>L24</u>	control\$	1998933	<u>L24</u>
<u>L23</u>	control\$	1998933	<u>L23</u>
<u>L22</u>	l10 and l2	1	<u>L22</u>
<u>L21</u>	L20 and l19	1	<u>L21</u>
<u>L20</u>	performance	608594	<u>L20</u>
<u>L19</u>	L10 and l6	1	<u>L19</u>
<u>L18</u>	enough and l10	1	<u>L18</u>
<u>L17</u>	L16 and l10	0	<u>L17</u>
<u>L16</u>	allocat\$ and (authoriz\$ or deny\$)	7839	<u>L16</u>
<u>L15</u>	L14 and l10	1	<u>L15</u>
<u>L14</u>	requirement\$1	687596	<u>L14</u>
<u>L13</u>	L12 and l11 and l10	1	<u>L13</u>
<u>L12</u>	utiliz\$	1287478	<u>L12</u>
<u>L11</u>	resource\$1	83894	<u>L11</u>
<u>L10</u>	5838968.pn.	1	<u>L10</u>
<u>L9</u>	L8 and l5	1	<u>L9</u>
<u>L8</u>	deny\$ or authoriz\$	36965	<u>L8</u>
<u>L7</u>	L6 and l5	1	<u>L7</u>
<u>L6</u>	optim\$	627655	<u>L6</u>
<u>L5</u>	L4 and l1	1	<u>L5</u>
<u>L4</u>	allocat\$	85825	<u>L4</u>
<u>L3</u>	L2 and l1	0	<u>L3</u>
<u>L2</u>	guarantee\$	88094	<u>L2</u>
<u>L1</u>	6625643.pn.	1	<u>L1</u>

END OF SEARCH HISTORY

## Refine Search

### Search Results -

Term	Documents
(6 AND 49).USPT.	1
(L49 AND L6 ).USPT.	1

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L50





### Search History

DATE: Thursday, February 19, 2004    [Printable Copy](#)    [Create Case](#)

#### Set Name Query

side by side

#### Hit Count Set Name

result set

DB=USPT; PLUR=YES; OP=ADJ

<u>L50</u>	L49 and l6	1	<u>L50</u>
<u>L49</u>	schedul\$	72067	<u>L49</u>
<u>L48</u>	L47 and l1	1	<u>L48</u>
<u>L47</u>	bandwidth	99157	<u>L47</u>
<u>L46</u>	L45 and l6	1	<u>L46</u>
<u>L45</u>	memory	440483	<u>L45</u>
<u>L44</u>	L43 and l6	1	<u>L44</u>
<u>L43</u>	resource\$1 and type\$1 and amount	49482	<u>L43</u>
<u>L42</u>	resource and type41 and amount	0	<u>L42</u>
<u>L41</u>	L40 and l6	1	<u>L41</u>
<u>L40</u>	performance	608594	<u>L40</u>
<u>L39</u>	L38 and (l1 or l6)	0	<u>L39</u>
<u>L38</u>	disruption	36647	<u>L38</u>

<u>L37</u>	L35 and l1	0	<u>L37</u>
<u>L36</u>	L35 and l6	0	<u>L36</u>
<u>L35</u>	simultaneous\$	864553	<u>L35</u>
<u>L34</u>	L33 and l6	1	<u>L34</u>
<u>L33</u>	configur\$	1135738	<u>L33</u>
<u>L32</u>	L31 and l6	1	<u>L32</u>
<u>L31</u>	initiat\$ or instantiat\$	443687	<u>L31</u>
<u>L30</u>	L29 and l6	0	<u>L30</u>
<u>L29</u>	kernel	16596	<u>L29</u>
<u>L28</u>	updat\$ and l6	1	<u>L28</u>
<u>L27</u>	l6 and l16	1	<u>L27</u>
<u>L26</u>	L6 and l6	1	<u>L26</u>
<u>L25</u>	L23 and l6	1	<u>L25</u>
<u>L24</u>	L23 and l16	25108	<u>L24</u>
<u>L23</u>	reserve	39622	<u>L23</u>
<u>L22</u>	l6 and l16	1	<u>L22</u>
<u>L21</u>	l20 and l16	1	<u>L21</u>
<u>L20</u>	L19 and l6	1	<u>L20</u>
<u>L19</u>	usage and list\$ and resource\$1	10800	<u>L19</u>
<u>L18</u>	allocat\$ and resource\$1 and l6	1	<u>L18</u>
<u>L17</u>	L16 and l15	1	<u>L17</u>
<u>L16</u>	compar\$	1519158	<u>L16</u>
<u>L15</u>	L14 and l6	1	<u>L15</u>
<u>L14</u>	requirement\$	687627	<u>L14</u>
<u>L13</u>	L12 and resource\$1	1	<u>L13</u>
<u>L12</u>	L10 and l1	1	<u>L12</u>
<u>L11</u>	L10 and l6	0	<u>L11</u>
<u>L10</u>	identifier\$1	46511	<u>L10</u>
<u>L9</u>	L8 and l6	1	<u>L9</u>
<u>L8</u>	request\$	150625	<u>L8</u>
<u>L7</u>	L6 and l4	1	<u>L7</u>
<u>L6</u>	5838968.pn.	1	<u>L6</u>
<u>L5</u>	L4 and l1	1	<u>L5</u>
<u>L4</u>	request\$ and resource\$1	38697	<u>L4</u>
<u>L3</u>	L2 and l1	1	<u>L3</u>
<u>L2</u>	resource\$1 and available	62719	<u>L2</u>
<u>L1</u>	6625643.pn.	1	<u>L1</u>

END OF SEARCH HISTORY

## Refine Search

### Search Results -

Term	Documents
(6 AND 49).USPT.	1
(L49 AND L6 ).USPT.	1

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L50





### Search History

DATE: Thursday, February 19, 2004    [Printable Copy](#)    [Create Case](#)

#### Set Name Query

side by side

#### Hit Count Set Name

result set

*DB=USPT; PLUR=YES; OP=ADJ*

<u>L50</u>	L49 and l6	1	<u>L50</u>
<u>L49</u>	schedul\$	72067	<u>L49</u>
<u>L48</u>	L47 and l1	1	<u>L48</u>
<u>L47</u>	bandwidth	99157	<u>L47</u>
<u>L46</u>	L45 and l6	1	<u>L46</u>
<u>L45</u>	memory	440483	<u>L45</u>
<u>L44</u>	L43 and l6	1	<u>L44</u>
<u>L43</u>	resource\$1 and type\$1 and amount	49482	<u>L43</u>
<u>L42</u>	resource and type41 and amount	0	<u>L42</u>
<u>L41</u>	L40 and l6	1	<u>L41</u>
<u>L40</u>	performance	608594	<u>L40</u>
<u>L39</u>	L38 and (l1 or l6)	0	<u>L39</u>
<u>L38</u>	disruption	36647	<u>L38</u>

<u>L37</u>	L35 and l1	0	<u>L37</u>
<u>L36</u>	L35 and l6	0	<u>L36</u>
<u>L35</u>	simultaneous\$	864553	<u>L35</u>
<u>L34</u>	L33 and l6	1	<u>L34</u>
<u>L33</u>	configur\$	1135738	<u>L33</u>
<u>L32</u>	L31 and l6	1	<u>L32</u>
<u>L31</u>	initiat\$ or instantiat\$	443687	<u>L31</u>
<u>L30</u>	L29 and l6	0	<u>L30</u>
<u>L29</u>	kernel	16596	<u>L29</u>
<u>L28</u>	updat\$ and l6	1	<u>L28</u>
<u>L27</u>	l6 and l16	1	<u>L27</u>
<u>L26</u>	L6 and l6	1	<u>L26</u>
<u>L25</u>	L23 and l6	1	<u>L25</u>
<u>L24</u>	L23 and l16	25108	<u>L24</u>
<u>L23</u>	reserve	39622	<u>L23</u>
<u>L22</u>	l6 and l16	1	<u>L22</u>
<u>L21</u>	l20 and l16	1	<u>L21</u>
<u>L20</u>	L19 and l6	1	<u>L20</u>
<u>L19</u>	usage and list\$ and resource\$1	10800	<u>L19</u>
<u>L18</u>	allocat\$ and resource\$1 and l6	1	<u>L18</u>
<u>L17</u>	L16 and l15	1	<u>L17</u>
<u>L16</u>	compar\$	1519158	<u>L16</u>
<u>L15</u>	L14 and l6	1	<u>L15</u>
<u>L14</u>	requirement\$	687627	<u>L14</u>
<u>L13</u>	L12 and resource\$1	1	<u>L13</u>
<u>L12</u>	L10 and l1	1	<u>L12</u>
<u>L11</u>	L10 and l6	0	<u>L11</u>
<u>L10</u>	identifier\$1	46511	<u>L10</u>
<u>L9</u>	L8 and l6	1	<u>L9</u>
<u>L8</u>	request\$	150625	<u>L8</u>
<u>L7</u>	L6 and l4	1	<u>L7</u>
<u>L6</u>	5838968.pn.	1	<u>L6</u>
<u>L5</u>	L4 and l1	1	<u>L5</u>
<u>L4</u>	request\$ and resource\$1	38697	<u>L4</u>
<u>L3</u>	L2 and l1	1	<u>L3</u>
<u>L2</u>	resource\$1 and available	62719	<u>L2</u>
<u>L1</u>	6625643.pn.	1	<u>L1</u>

END OF SEARCH HISTORY

## Refine Search

### Search Results -

Term	Documents
(6 AND 49).USPT.	1
(L49 AND L6 ).USPT.	1

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L50

Refine Search

Recall Text

Clear

Interrupt

### Search History

 DATE: Thursday, February 19, 2004    [Printable Copy](#)    [Create Case](#)
**Set Name Query**

side by side

**Hit Count Set Name**

result set

*DB=USPT; PLUR=YES; OP=ADJ*

<u>L50</u>	L49 and l6	1	<u>L50</u>
<u>L49</u>	schedul\$	72067	<u>L49</u>
<u>L48</u>	L47 and l1	1	<u>L48</u>
<u>L47</u>	bandwidth	99157	<u>L47</u>
<u>L46</u>	L45 and l6	1	<u>L46</u>
<u>L45</u>	memory	440483	<u>L45</u>
<u>L44</u>	L43 and l6	1	<u>L44</u>
<u>L43</u>	resource\$1 and type\$1 and amount	49482	<u>L43</u>
<u>L42</u>	resource and type41 and amount	0	<u>L42</u>
<u>L41</u>	L40 and l6	1	<u>L41</u>
<u>L40</u>	performance	608594	<u>L40</u>
<u>L39</u>	L38 and (l1 or l6)	0	<u>L39</u>
<u>L38</u>	disruption	36647	<u>L38</u>

<u>L37</u>	L35 and l1	0	<u>L37</u>
<u>L36</u>	L35 and l6	0	<u>L36</u>
<u>L35</u>	simultaneous\$	864553	<u>L35</u>
<u>L34</u>	L33 and l6	1	<u>L34</u>
<u>L33</u>	configur\$	1135738	<u>L33</u>
<u>L32</u>	L31 and l6	1	<u>L32</u>
<u>L31</u>	initiat\$ or instantiat\$	443687	<u>L31</u>
<u>L30</u>	L29 and l6	0	<u>L30</u>
<u>L29</u>	kernel	16596	<u>L29</u>
<u>L28</u>	updat\$ and l6	1	<u>L28</u>
<u>L27</u>	l6 and l16	1	<u>L27</u>
<u>L26</u>	L6 and l6	1	<u>L26</u>
<u>L25</u>	L23 and l6	1	<u>L25</u>
<u>L24</u>	L23 and l16	25108	<u>L24</u>
<u>L23</u>	reserve	39622	<u>L23</u>
<u>L22</u>	l6 and l16	1	<u>L22</u>
<u>L21</u>	l20 and l16	1	<u>L21</u>
<u>L20</u>	L19 and l6	1	<u>L20</u>
<u>L19</u>	usage and list\$ and resource\$1	10800	<u>L19</u>
<u>L18</u>	allocat\$ and resource\$1 and l6	1	<u>L18</u>
<u>L17</u>	L16 and l15	1	<u>L17</u>
<u>L16</u>	compar\$	1519158	<u>L16</u>
<u>L15</u>	L14 and l6	1	<u>L15</u>
<u>L14</u>	requirement\$	687627	<u>L14</u>
<u>L13</u>	L12 and resource\$1	1	<u>L13</u>
<u>L12</u>	L10 and l1	1	<u>L12</u>
<u>L11</u>	L10 and l6	0	<u>L11</u>
<u>L10</u>	identifier\$1	46511	<u>L10</u>
<u>L9</u>	L8 and l6	1	<u>L9</u>
<u>L8</u>	request\$	150625	<u>L8</u>
<u>L7</u>	L6 and l4	1	<u>L7</u>
<u>L6</u>	5838968.pn.	1	<u>L6</u>
<u>L5</u>	L4 and l1	1	<u>L5</u>
<u>L4</u>	request\$ and resource\$1	38697	<u>L4</u>
<u>L3</u>	L2 and l1	1	<u>L3</u>
<u>L2</u>	resource\$1 and available	62719	<u>L2</u>
<u>L1</u>	6625643.pn.	1	<u>L1</u>

END OF SEARCH HISTORY